


HZY-3S



HZY-3S

1 3

0.002 1mg KOH/g
± 0.005mg KOH/g
0.005mg KOH/g
10 45
85%RH
AC220V/50Hz
50W



1

2

220V

220V

1

— KOH : — KOH
— KOH : — KOH

100ml

2

1000ml ()
500ml

3

0.15ml / l

4 BTB

BTB

BTB

100ml

100ml

0.5ml

50ml


BTB


5

KOH


50ml


6






20












BTB

20ml

BTB



BTB





100



0.15mol /L

)









样品测试

正在寻找一号杯位
请稍候...

2014-11-11 11:21:30 TUE

样品测试


校正密度器过流油样密度：

油样桶：无油样

广韵定数：

2014-11-11 11:22:40 TUE

10ml



10ml

样品测试

油样密度：

油样温度：25℃

油样定数：25

201*4-11-11-11-22-40-1UE

样品测试

油样密度：

油样温度：25℃

油样定数：

油样定数：

201*4-11-11-11-22-40-1UE



样品测试

油杯压器油 | 油杯密度:

1号油杯: 无油样

2号油杯: 无油样

3号油杯: 无油样

4号油杯: 无油样

5号油杯: 无油样

6号油杯:


滴定数目:


2014-11-11 11:22:40 TUE

数据查询

无数据


2014-11-11 11:22:40 TUE





- 1
- 2
- 3

— KOH



" LF"


5

" LF"

SEL



- 1
- 2
- 3
- 4
- 5



Ô " " " 9 2 \$ # p Ñ Å S D ' < T \$ G ° Y 9 Đ h , D y p Ñ Ô ĩ ñ 0 S

1
2 ã F s (T D E Y) H 0 W i f ã

2

3

2

24

027-83267669

24

48

4

